

Radiesthetic measurements on and with the CT 75 and CT 220

Foreword

I am a life energy consultant for radiesthesia, or more simply: a dowser.

The main focus of my work is the investigation of sleeping spaces (bedrooms).

During the last few years, besides the traditional geobiological stress caused by water veins, grid intersections, fault lines, etc... the electrobiological loads from electric and electromagnetic fields have emerged as the main source of pollution in sleeping places.

At this point probably everyone thinks of their smartphone, router or the cell phone tower not far from their home.

These loads are what we are talking about here.

Measurement Methods

As an engineer, for years, it was difficult for me to accept anything other than physical measuring devices.

But why is there no meter for water veins, fractures, grid crossings, ley lines, etc.?

Why does a rod, pendulum or tensor move?

Was Goethe right when he wrote:

“Insofar as he makes use of his healthy senses, man himself is the best and most exact scientific instrument possible. The greatest misfortune of modern physics is that its experiments have been set apart from man, as it were, physics refuses to recognize nature in anything not shown by artificial instruments, and even uses this as a measure of its accomplishments.”

I accepted this, but the big aha moment came only in 2010, after studying Rainer Gebbensleben's book "The Sixth Sense and its Phenomena." He describes all these vibrations as "hypersound" (HS). He has researched what sensors we use to capture the HS, how we process them, where they are stored in the body, how they can be harmful to our health or how they can even be amplified to bend spoons.

At <https://www.hyperschall.at> you can find his research presented in an understandable way.

We dowsers like to use the Bovis scale to measure the life force energy of an area, location, person or food. Bovis Units (BE) can be defined as life force energy or wavelength. Gebbensleben's Hypersonic Scale is proportional to the Bovis scale: a low Bovis value (BE) corresponds to a high hypersonic (HS) value. In the biological measurement technology for buildings, many measurements in the low-frequency and high-frequency ranges are classified as anomalies, ranging from none to extreme.

Light at the end of the tunnel

Considering these biological measurements of buildings, their critical values or minimal limits for safety, basically everyone should be seriously ill when using cell phones, wireless phones or WLAN routers.

Well, many people don't do very well with it.

And how does your body react to LED, screen or TV light?

The measurement literature is silent on this topic.

About 20 years ago, we started investigating these phenomena from a dowser's point of view.

There were special gemstones, polarized stones, informed sands, etc. There were the first stickers with counter vibrations on a magnetic basis. Then there were a lot of people producing harmonically informed stickers through the power of their own minds. In our cooperation with aura measurements and kinesiological tests, we were able to verify this (beneficial effects) time and again. Even for houses there were now systems for harmonizing electro- and geobiological loads. The problem with cell phone towers and wind turbines contaminating entire areas remained.

Then the good news came to me from several different directions in a very short time during the summer. For example, the interviews of Harald Thiers on bewusst.tv and some acquaintances who already had CTs from 15 - 75 cm. The research spirit of the old experimental engineer within me was immediately reawakened and I began my research into the field of CTs. They kept their promise: no electro- and geobiological load was detectable in the given radii.

Our Towers

The decision was then quickly made, we needed a CT 75, especially since at that time we could only imagine what powers were still dormant in it.

About a week before and after receiving our CT, I took Bovis and Hypersonic measurements in a 500-meter radius around our house. The results were as expected.

My intuition told me that I could also use the CT as a radionic device. I just put a picture of a sick person on it, add the wish to get better and ask the CT to solve the problem (with results) better than I can ever imagine. Usually, the phone rings the very next day.

As the "C-hysteria" progressed, the desire to harmonize much more than just electro-smog grew rapidly. We live near Kiel, where there is still a lot of dark energy from the time of the two world wars. We agree with Harald Thiers' explanation, in the Cosmic Chats, that the big towers have an effect up to the highest dimensions.

In mid-December, a CT 220 arrived. I can still see the shocked looks of the ladies from Austria who delivered it. The tower would not fit in a niche in the hallway, not a chance! They then found a place in the house where it is located currently and develops its field - logical! A week before and now at the end of the year I took some measurements in a radius of up to 26 km. In the spring I will do measurements further out.

My special thanks to Harald Thiers and all his colleagues who brought this project to life and initiated it. And of course, to all of you who already have a tower and have bought a large model, but not out of self-interest or self-importance.

CT 75						
Sender	Vector	Distance	14-Jul-21		2-Aug-21	
	Degrees	Meter	HS (dB)	Bovis (BE)	HS (dB)	Bovis (BE)
420755	ohne	0 (In the House)	0	8,000	0	30,000
420755	ohne	100	80	4,000	0	11,000
420755	ohne	150	110	5,000	0	10,000
420755	ohne	200	115	5,000	10	9,500
420755	ohne	600	100	8,000	30	8,500
CT 220						
Sender	Vector	Distance	5-Dec-21		30-Dec-21	
	Degrees	Kilometer	HS (dB)	Bovis (BE)	HS (dB)	Bovis (BE)
420412	120	1,5	150	1,500	0	7,500
420600	240	5	120	1,100	0	8,200
420741	120	6	70	2,500	5	8,300
420741	170	7	150	800	0	7,900
420370	90	6	100	1,500	9	7,900
420580	90	12	110	300	0	9,300
420189	200	26	220	50	0	7,800

(*) Higher Bovis (BE) values are more beneficial to living systems. Lower HS (dB) values are more beneficial.

The Senders and vectors are from the EMF database of the German Federal Network Agency.

Peter Vertens, on 31 December 2021

And what happened next?

Mobile

Meanwhile, at many cell phone towers in Schleswig-Holstein, I took out my dowsing rod and measured. Hypersonic – none left, nothing measurable. Not even where clearly 5G antennas had been installed.

Wind energy

In wind farms, neither hypersonic noise from electromagnetic fields nor infrasound from wind turbulence can be measured, although the sounds are still audible.

Nuclear power plants

In the past few years, there have been repeated newspaper reports about significantly increased cases of cancer in the vicinity of the three nuclear power plants on the Elbe. (official) Studies have shown that radioactivity cannot be the cause because it is not measurable or it is within (safe) "limit values"!

I have measured the nuclear power plants in Brokdorf, Geesthacht and Grohnde in recent years, quickly got back into the car and drove away. The hyper noise of radioactivity can be measured over a wide area and is also carried far into the country via the power lines.

The reactors have been shut down, but the vibrations are still there. The fuel (rods) elements are also still stored there.

I asked our CT to harmonize everything in this area. Everything was resolved in only 3 days. Wow, how powerful!

Remote Influencing

I have customers who live outside the specified effective radius of the CT. Be it Munich, Amsterdam or central Germany. I view the energy of the houses via Google Maps, formulate my wishes and prayers on behalf of the client or the house to the Cosmic Tower - at the latest after two days I get positive feedback. There is no such thing as too far away. I ask our CT to cooperate with the Cosmic Tower network.

Peter Vertens

24.02.2023

Schulstraße 9

24250 Löptin

peter@vertens.de